

Rittal – The System.

Faster – better – everywhere.



TS 4697.000 Support Strip

State: 5/28/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



TS 4697.000 - Support Strip for VX, TS, VX SE, TP, AX

For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.



Features

Model No.	TS 4697.000
Product description	For simple attachment of cable ducts, cable conduit holders, contact hazard protection cover plates, equipment installed on the door, cable clamping and attachment.
Technical specifications	4.5 mm diameter hole on a 25 mm hole pattern
Material	Carbon steel
Surface finish	Zinc-plated
Supply includes	Assembly components
Length	740 mm 29.1 "
Installation options VX	In enclosure width/depth 800 mm
Installation options VX SE	In enclosure width/depth 800 mm
Installation options AX	In door width 800 mm, with cam lock
Installation options AX stainless steel	In door width 800 mm, with cam lock, in conjunction with punched door strip
Installation options PC	In enclosure width 800 mm, on the outer mounting level
Installation options TS	In enclosure width/depth 800 mm, on the outer mounting level

Features

Installation options AE	In enclosure width/height 800 mm, in conjunction with rail for interior installation AE
Installation options VX Base	In base/plinth width/depth 800 mm on the base/plinth panels, in conjunction with base/plinth installation bracket
Suitable for	Enclosure type: VX TS VX SE PC AX AE Width/depth: 800 mm Enclosure type: VX TS VX SE PC AX AE Width/depth: 31.5 ~
Suitable for	VX base system
Packaging unit	20 pc(s).
Net weight	7.7 kg
Gross weight	7.817 kg
PCF/VE (cradle-to-gate)	34.91 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	73269098
ETIM 9	EC002620
ETIM 8	EC002620
ECLASS 8.0	27189261
Product description	TS support strip, for VX, TS, VX SE, TP, for outer mounting level: for W/W: 800 mm, L: 740 mm

Approvals

Explanations

PCF-declaration