### Rittal - The System.

Faster - better - everywhere.





## CM 5001.081 Cable clamp rail

State: 12/17/2025 (Source: rittal.com/us-en)



# CM 5001.081 - Cable clamp rail C-section, for mounting plates, for VX, TS, VX SE, TP

Provides strain relief for cable entries. The length of the cable clamp rail is matched to the width of the mounting plate. Three different installation situations are possible on the mounting plate with the mounting brackets included with the supply.

#### **Features**

CM 5001.081  Provides strain relief for cable entries. The length of the cable clamprail is matched to the width of the mounting plate. Three different
· ·
installation situations are possible on the mounting plate with the mounting brackets included with the supply.
Carbon steel
Zinc-plated
Incl. two mounting brackets and assembly screws.
straight, at a distance of 23 mm from the mounting plate straight, at a distance of 10 mm from the mounting plate inclined, towards the mounting plate
In base/plinth width/depth 800 mm with installation on the base/ plinth corner pieces, in conjunction with carbon steel hexagon socket screws
In base/plinth width 800 mm, in conjunction with M6 hexagon socket screws and M6 nuts
VX base system VX base/plinth system, stainless steel
Length: 699 mm Length: 27.5 ″

© Rittal 2025 2

### **Features**

Suitable for	Enclosure type: VX
	TS
	VX SE
	TP
	Compact enclosure HD
	Width: = 800 mm
	Enclosure type: VX
	TS
	VX SE
	TP
	Compact enclosure HD
	Width: = 31.5 "
Suitable for width	800 mm
	31.5 ″
Packaging unit	1 pc(s).
Net weight	0.705
Gross weight	0.8
PCF/VE (cradle-to-gate)	1.7 kg CO2 eq (Cat B)
Information regarding the PCF	Category B: PCF value (cradle-to-gate) calculated approximately on
class	the basis of the product weight and self-declared
Customs tariff number	73269098
EAN	4028177502956
ETIM 9	EC000322
ETIM 8	EC000322
ECLASS 8.0	27400604

© Rittal 2025 3