

Rittal – The System.

Faster – better – everywhere.



PC 5366.100 PC enclosure system

State: 9/17/2025 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



PC 5366.100 - PC enclosure system

Secure accommodation of all PC components, from monitors, to PCs, to keyboards. For ultimate ease of operation in a contemporary design. Complete protection from humidity and dirt, temperature fluctuations and unauthorized access.

Features

Model No.	PC 5366.100
Version	with glazed door at the top, fold-out keyboard tray and component shelf
Product description	Secure accommodation of all PC components, from monitors, to PCs, to keyboards. For ultimate ease of operation in a contemporary design. Complete protection from humidity and dirt, temperature fluctuations and unauthorized access.
Material	Housing, door, rear door, mounting compartment, supports: carbon steel Handles, decorative trim panels: Plastic Door trim panels: Aluminum Viewing window: Single-pane safety glass
Surface finish	Housing and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting compartment, support: powder-coated
Color	Housing, door, decorative trim panels, supports: RAL 7035 Handle: Similar to RAL 9006 Monitor field, door center section: RAL 7015
Supply includes	Housing, door, rear door Glazed door, top Folding keyboard Component shelf
Dimensions	Width: 600 mm Height: 1,600 mm Depth: 636 mm Width: 23.6 " Height: 63 " Depth: 25 "

Features

Protection category IP to IEC 60529	IP 55
Protection category NEMA	NEMA 12
Max. keyboard dimensions (WxHxD)	497 x 50 x 250 mm 497 x 60 x 200 mm 19.6 x 1.97 x 9.84 ~ 19.6 x 2.36 x 7.87 ~
Base material	Carbon steel
Packaging unit	1 pc(s).
Net weight	96
Gross weight	98
EAN	4028177693203
ECLASS 8.0	27180501

Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity Declaration of conformity UK