

Rittal – The System.

Faster – better – everywhere.



DK 5501.430 Slide rail, 1U, fixed installation

State: 4/29/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



DK 5501.430 - Slide rail, 1U, fixed installation for VX IT, TS IT, TX CableNet

Mounted between front and rear mounting levels.

Features

| | |
|----------------------------------|---|
| Model No. | DK 5501.430 |
| Product description | Side system punchings to mount accessories and ventilate active components that exhaust air from the side. |
| Benefits | Simply locate into the system punchings of the 482.6 mm (19") mounting brackets after adjusting the required 482.6 mm (19") distance between levels |
| Applications | For assembly on the front mounting level To support heavy installed equipment. |
| Material | Carbon steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly components |
| Distance between mounting levels | 545 mm 21.5 " |
| Length | 475 mm 18.7 " |
| Installation options | for 19" standard profile rails |
| Mounting tip | The 19" space between levels in the VX IT must be adjusted accordingly prior to installation |
| Load capacity | 800 N, static |
| Note | Effective contact surface 35 mm per side |
| Contact surface | Width: 35 mm Width: 1.38 " |
| Suitable for | Enclosure type: VX IT TS IT |

Features

| | |
|-------------------------------------|--|
| Packaging unit | 2 pc(s). |
| Net weight | 1.2 kg |
| Gross weight | 1.4 kg |
| PCF/VE (cradle-to-gate) | 4.9 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 73269098 |
| ETIM 9 | EC002620 |
| ECLASS 8.0 | 27189261 |
| Product description | DK Slide rail, 1 U, D: 475 mm, 80 kg, static, For two 482.6 mm (19") attachment level (front+rear), distance between levels:: 545 mm, static installation, for 482.6 mm (19") system punchings |