

Rittal – The System.

Faster – better – everywhere.



CP 7495.000 Twin castors

State: 5/1/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



CP 7495.000 - Twin castors

For mobile use, can be mounted directly on the enclosure.



Features

| | |
|---------------------|--|
| Model No. | CP 7495.000 |
| Product description | For mobile use, can be mounted directly on the enclosure. |
| Color | Black |
| Supply includes | 4 twin castors, 2 x with, 2 x without locks. Assembly components |
| Note on Model No.: | When mounting on a VX base/plinth, the base/plinth adapter is required When mounting on a TS base/plinth, the base/plinth adapter is required |
| Suitable for | Enclosure type: VX Enclosure type: VX IT Enclosure type: VX SE Enclosure type: PC Enclosure type: TP pedestals Enclosure type: IW Enclosure type: Data Rack Enclosure type: Chiller |
| Clearande floor | 125 mm 4.92 " |

Features

| | |
|---|--|
| Max. load capacity (static) per component | 1,200 N 269.771 lbf. |
| Dimensions | Thread: M12 x 20 |
| Packaging unit | 4 pc(s). |
| Net weight | 1.76 kg |
| Gross weight | 1.98 kg |
| Customs tariff number | 83024900 |
| ETIM 9 | EC002621 |
| ECLASS 8.0 | 27189262 |
| Product description | DK Twin castors, M12, each 2 with/without Lock |