

Faster – better – everywhere.





JB 8018.121 JB Junction box

State: 7/26/2025 (Source: rittal.com/us-en)



POWER DISTRIBUTION >> CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

JB 8018.121 - JB Junction box Carbon steel

The JB enclosure offers protection for dense wiring and sensitive small instruments. These hinged cover junction boxes combine the advantages of the AE and KL series at an economical cost. Features include 180 degree hinge and slotted insert quarter turn latch. Foamed-in-place gasket and a knife-edge perimeter add extra protection.



Features

Model No.JB 8018.121MaterialHousing and door: Carbon steel, all-round foamed-irSurface finishHousing and door: Dipcoat primed, powder-coated of textured paintColorRAL 7035Supply includes180° hinge Housing with door Mounting panelMaterial thickness - door1.5 mm 0.06 ~Material thickness - enclosure1.5 mm	
Surface finish Housing and door: Dipcoat primed, powder-coated of textured paint Color RAL 7035 Supply includes 180° hinge Housing with door Mounting panel Material thickness - door 1.5 mm 0.06 ″	
textured paint Color RAL 7035 Supply includes 180° hinge Housing with door Mounting panel Material thickness - door 1.5 mm 0.06 ″	n PU seal
Supply includes 180° hinge Housing with door Mounting panel Material thickness - door 1.5 mm 0.06 ″	on the outside,
Housing with door Mounting panel Material thickness - door 0.06 ″	
0.06 ″	
Material thickness - enclosure 1.5 mm	
0.06 ″	
Material thickness – mounting1.5 mmplate0.06 "	
Position door catch left	

Features

Dimensions	Width: 100 mm
	Height: 150 mm
	Depth: 100 mm
	Width: 3.94 "
	Height: 5.91 "
	Depth: 3.94 "
Protection category IP to IEC 60 529	IP 66
Protection category NEMA	NEMA 4
Packaging unit	1 pc(s).
Net weight	2.866
Gross weight	2.899
Customs tariff number	7326909099
UPC-Code	83254

Approvals

ApprovalsULExplanationsDeclaration of conformity