
Rittal – The System.

Faster – better – everywhere.



# VX 8100.730

# 23 x 89 mm system chassis, stainless steel



State: 11/15/2026 (Source: www.rittal.com/us-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# VX 8100.730 - 23 x 89 mm system chassis, stainless steel for VX, VX SE

For variable and individual interior installation of the enclosure frame on the inner mounting level.


## Features

| | |
|---|---|
| Model No. | VX 8100.730 |
| Product description | For variable and individual interior installation of the enclosure frame on the inner mounting level. |
| Benefits | Simply place in the system punchings and screw-fasten<br>System punchings on all four sides<br>With slots at the top and bottom for cage nuts, for attaching your own components via metric screws |
| Material | Stainless steel 1.4301 (AISI 304) |
| Supply includes | Assembly components |
| Installation options | In VX on the inner mounting level on the enclosure section VX<br>In VX SE on enclosure section in conjunction with adapter rail VX<br>On identical system chassis, one below the other |
| Suitable for | Enclosure type: VX<br>VX SE<br>Width/depth: 400 mm<br>Enclosure type: VX<br>VX SE<br>Width/depth: 15.7 ″ |

# Features

| | |
|---|---|
| Packaging unit | 2 pc(s). |
| Net weight | 0.85 kg |
| Gross weight | 1 kg |
| PCF/VE (cradle-to-gate) | 9.87 |
| Customs tariff number | 73269098 |
| ETIM 9 | EC002620 |
| ECLASS 8.0 | 27189234 |
| Product description | VX Punched section, with mounting flange 23 x 89 mm, for W/D: 400 mm, stainless steel |

# Approvals

| | |
|---|---|
| Explanations | PCF-declaration |