


Faster – better – everywhere.





VX 8100.733 23 x 89 mm system chassis, stainless steel

CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

State: 8/25/2025 (Source: rittal.com/us-en)

POWER DISTRIBUTION


RITTAL

FRIEDHELM LOH GROUP

ENCLOSURES

VX 8100.733 - 23 x 89 mm system chassis, stainless steel for VX, VX SE

For variable and individual interior installation of the enclosure frame on the inner mounting level.



Features

Model No.	VX 8100.733
Product description	For variable and individual interior installation of the enclosure frame on the inner mounting level.
Benefits	Simply place in the system punchings and screw-fasten
	System punchings on all four sides
	With slots at the top and bottom for cage nuts, for attaching your own components via metric screws
Material	Stainless steel 1.4301 (AISI 304)
Supply includes	Assembly components
Installation options	In VX on the inner mounting level on the enclosure section VX
	In VX SE on enclosure section in conjunction with adapter rail VX
	On identical system chassis, one below the other
Suitable for	Enclosure type: VX
	VX SE
	Suitable for width/depth: 800 mm
	Enclosure type: VX
	VX SE
	Suitable for width/depth: 31.5 ″

Features

Packaging unit	2 pc(s).
Net weight	1.788
Gross weight	2.02
Customs tariff number	73269098
EAN	4028177924529
ETIM 9	EC002620
ECLASS 8.0	27189234