

**Rittal – The System.**

Faster – better – everywhere.



**TS 8612.090**

**TS System Chassis 17 x 73 mm**

State: 4/25/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 8612.090 - TS System Chassis 17 x 73 mm

For universal skeleton structures or partial assembly. Simply locate into the punchings and secure.



## Features

|                         |  |
|-------------------------|--|
| Model No.               | TS 8612.090  |
| Version                 | For mounting on doors  |
| Product description     | For universal skeleton structures or partial assembly. Simply locate onto the punchings and secure.  |
| Material                | Carbon steel   |
| Surface finish          | Zinc-plated  |
| Supply includes         | Assembly screws  |
| Length                  | 890 mm<br>35 "   |
| Suitable for door width | 1,000 mm<br>39.4 "   |
| Installation options    | On the vertical TS, VX SE enclosure profile: on the inner mounting level, all-round, height-offset<br>On the horizontal VX SE enclosure section top, in depth<br>In TP via rails for interior installation: in width, for inner mounting level<br>As installation kit for device bases in TS, VX SE, simply hook in and secure |
| Mounting tip            | The rail for interior installation is required when installing in TP   |

# Features

---

|                       |   |
|-----------------------|---|
| Suitable for          | Enclosure type: VX SE<br>TP<br>PC<br>IW   |
| Packaging unit        | 4 pc(s).  |
| Net weight            | 3.3 kg  |
| Customs tariff number | 73269098  |
| ETIM 9                | EC002625  |
| ECLASS 8.0            | 27189234  |
| Product description   | TS punched section with mounting flange, 17 x 73 mm, for door width: 1000 mm, L: 890 mm |