Rittal – The System.

Faster – better – everywhere.



# TS 8612.180

# TS System Chassis 17 x 73 mm

State: 11/24/2026 (Source: www.rittal.com/us-en)

# TS 8612.180 - TS System Chassis 17 x 73 mm

For universal skeleton structures or partial assembly. Simply locate into the punchings and secure.



## Features

| | |
|---|---|
| Model No. | TS 8612.180 |
| Version | For the outer mounting level |
| Product description | For universal skeleton structures or partial assembly. Simply locate onto the punchings and secure. |
| Material | Carbon steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly screws |
| Length | 740 mm<br>29.1 ″ |
| Installation options | On the vertical TS, VX SE enclosure profile: on the inner mounting level, all-round, height-offset<br>On the horizontal VX SE enclosure section top, in depth<br>In TP via rails for interior installation: in width, for inner mounting level<br>As installation kit for device bases in TS, VX SE, simply hook in and secure |
| Mounting tip | The rail for interior installation is required when installing in TP |

# Features

| | |
|---|---|
| Suitable for | Enclosure type: VX SE<br>TP<br>PC<br>IW<br>TX CableNet<br>Width/depth: 800 mm<br>Enclosure type: VX SE<br>TP<br>PC<br>IW<br>TX CableNet<br>Width/depth: 31.5 ″ |
| Packaging unit | 4 pc(s). |
| Net weight | 3.18 kg |
| Gross weight | 3.34 kg |
| PCF/VE (cradle-to-gate) | 12.8 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 73269098 |
| ETIM 9 | EC002625 |
| ECLASS 8.0 | 27189234 |
| Product description | TS punched section with mounting flange, 17 x 73 mm, for outer mounting level: W/D: 800 mm, L: 740 mm |