

Faster – better – everywhere.





Adapter section, 482.6 mm (19")

CLIMATE CONTROL

State: 7/13/2025 (Source: rittal.com/us-en)

POWER DISTRIBUTION



FRIEDHELM LOH GROUP

ENCLOSURES

TS 8613.060 - Adapter section, 482.6 mm (19") for TS, VX SE

For the installation of subracks and other equipment, adaptor profiles are easily shortened for partial assemblies.



Features

Model No.	TS 8613.060
Product description	For the installation of subracks and other equipment. Adapter profiles are easily shortened for partial assemblies.
Material	Extruded aluminum section
Supply includes	Assembly components
Height units	33 U
Installation dimensions	Installation depth for components: 482.6 mm Installation width for components: 19" Installation depth for components: 19 ″ Installation width for components: 19"
Note	The 482.6 mm (19") measurement applies when mounting on the frame of 600 mm wide enclosures
Suitable for	Enclosure type: TS Width: = 600 mm Height: = 1,600 mm Enclosure type: TS Width: = 23.6 ″ Height: = 63 ″
Packaging unit	4 pc(s).

Features

Net weight	5.58
Gross weight	5.872
Customs tariff number	76042990
EAN	4028177212206
ETIM 9	EC002625
ECLASS 8.0	27189234