Rittal – The System.

Faster – better – everywhere.





VX 8617.590 Partial Mounting Plates

State: 9/4/2025 (Source: rittal.com/us-en)



VX 8617.590 - Partial Mounting Plates for VX, VX SE, PC, IW

To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.

Features

| Model No. | VX 8617.590 |
|-------------------------|--|
| Product description | To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications. |
| Material | Carbon steel, 2.5 mm |
| Surface finish | Zinc-plated |
| Supply includes | Assembly components |
| Suitable for door width | 1,000 mm 39.4 ″ |
| Installation options | The installation can be done either standing up as a vertical mounting surface or lying flat as a horizontal floor Attachment is directly on the enclosure section It is attached via the system chassis at any mounting level in the enclosure in the case of an advanced design For multi-level installation of the partial mounting plates one behind the other, they can be made swingable through the hinge attachment for quick access to the levels behind them |
| Note | Adaptor rail VX is required for installation in VX SE, PC, IW |
| Dimensions | Width: 900 mm Depth: 300 mm Width: 35.4 " Depth: 11.8 " |

© Rittal 2025

Features

| Suitable for | Enclosure type: VX VX SE PC Width: = 400 mm = 1,000 mm Depth: = 400 mm Enclosure type: VX VX SE PC Width: = 15.7 " = 39.4 " Depth: = 15.7 " |
|-------------------------------------|---|
| Packaging unit | 1 pc(s). |
| Net weight | 6.405 |
| Gross weight | 7.38 |
| PCF/VE (cradle-to-gate) | 25.7 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 94039910 |
| EAN | 4028177919440 |
| ETIM 9 | EC000213 |
| ECLASS 8.0 | 27409216 |

© Rittal 2025 3