

Faster – better – everywhere.





VX 8620.500 Panel, hinged at the top

CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

State: 8/29/2025 (Source: rittal.com/us-en)

POWER DISTRIBUTION



FRIEDHELM LOH GROUP

ENCLOSURES

VX 8620.500 - Panel, hinged at the top for VX

For installing control and display components, in combination with the modular front design and safety bar.

Features

Model No.	VX 8620.500	
Product description	To install control and display components, in combination with modular front design and protective bar.	
Material	Carbon steel, 2 mm	
Surface finish	Textured paint	
Color	RAL 7035	
Supply includes	Trim Panel Hinges Cam lock with 3mm double-bit insert Assembly components	
Dimensions	Height: 300 mm Height: 11.8 ″	
Suitable for	Width: 600 mm Width: 23.6 ″	
Protection category IP to IEC 60 529	IP 54	
Packaging unit	1 pc(s).	
Net weight	3.7	
Gross weight	4.317	
PCF/VE (cradle-to-gate)	15.2 kg CO2 eq (Cat B)	
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately or the basis of the product weight and self-declared	
Customs tariff number	94039910	
EAN	4028177922570	

Features

EC002617	
27189260	

Explanations

Declaration of conformity Declaration of conformity UK