### Rittal - The System.

Faster – better – everywhere.





# VX 8660.004

Base/plinth corner pieces with base/plinth trim panels, front and rear

State: 6/19/2025 (Source: rittal.com/us-en)

NCLOSURES

OWER DISTRIBUTION

IMATE CONTROL

T INFRASTRUCTURI

SOFTWARE & SERVICES

# VX 8660.004 - Base/plinth corner pieces with base/plinth trim panels, front and rear for base/plinth system VX, carbon steel

Base corner pieces with panels for flexible cable entry, including a positioning aid for easy cabinet installation.







#### **Features**

Model No.	VX 8660.004		
Benefits	Reliable - very high stability of the base		
	Flexible – numerous interior expansion options with the VX accessories		
	Simple – flush finish between the baying points		
Material	Base/plinth corner piece: Carbon steel		
	Base/plinth trim panels, front/rear: Carbon steel		
	Corner and baying covers: Plastic		
Color	RAL 9005		
Supply includes	4 x corner covers		
	Assembly components		
	4 x base/plinth corner pieces, 100 mm high		
	2 x base/plinth trim panels, front/rear, 100 mm high		
Note	Base/plinth trim panels, on the side for closing off a base/plinth		
	unit, for additional stabilization of the bases/plinths to one another		
	or for interior installation of the bases/plinths		

© Rittal 2025 2

## Features

Dimensions	Height: 100 mm Height: 3.94 ″	
Suitable for	Enclosure type: VX	
	VXIT	
	VX SE	
	TX CableNet	
	TS	
	TS IT	
	TP	
	PC	
	IW	
	CX	
	Width: = 850 mm	
	Enclosure type: VX	
	VX IT	
	VX SE	
	TX CableNet	
	TS	
	TSIT	
	TP	
	PC	
	IW	
	CX	
	Width: = 33.5 "	
Type rating according to UL 50E	Type 1	
	Type 12	
Weight/packaging unit	5.55 kg	
	12.2 lb.	
Packaging unit	2 pc(s).	
Net weight	5.36	
Gross weight	5.551	
PCF per pack (cradle-to-gate)	21.1 kg CO2 eq (Cat B)	
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared	
Customs tariff number	94039910	

© Rittal 2025 3

## Features

ETIM 9	EC000721	
ETIM 8	EC000721	
ECLASS 8.0	27182003	

# **Approvals**

Approvals UL + C-UL - FTTA

© Rittal 2025 4