Rittal - The System.

Faster – better – everywhere.





VX 8660.006

Base/plinth corner pieces with base/plinth trim panels, front and rear

State: 7/15/2025 (Source: rittal.com/us-en)

CLOSURES >> POWER DI

LIMATE CONTROL

T INFRASTRUCTURE

SOFTWARE & SERVICES

VX 8660.006 - Base/plinth corner pieces with base/plinth trim panels, front and rear for base/plinth system VX, carbon steel

Base/plinth corner pieces with trim panels for flexible cable entry.



Features

Model No.	VX 8660.006		
Benefits	Reliable - very high stability of the base		
	Flexible – numerous interior expansion options with the VX accessories		
	Simple – flush finish between the baying points		
Material	Base/plinth corner piece: Carbon steel		
	Base/plinth trim panels, front/rear: Carbon steel		
	Corner and baying covers: Plastic		
Color	RAL 9005		
Supply includes	4 x corner covers		
	Assembly components		
	4 x base/plinth corner pieces, 100 mm high		
	2 x base/plinth trim panels, front/rear, 100 mm high		
Note	Base/plinth trim panels, on the side for closing off a base/plinth		
	unit, for additional stabilization of the bases/plinths to one another,		
	or for interior installation of the bases/plinths		

© Rittal 2025 2

Features

Dimensions	Height: 100 mm Height: 3.94 ″
Suitable for	Enclosure type: VX
	VX IT
	VX SE
	TX CableNet
	TS
	TS IT
	TP
	PC
	IW
	CX
	Width: = 1,100 mm
	Enclosure type: VX
	VX IT
	VX SE
	TX CableNet
	TS
	TS IT
	TP
	PC
	IW OV
	CX Width: = 43.3 "
	Width: - 45.5
Type rating according to UL 50E	Type 1
	Type 12
Weight/packaging unit	6.6 kg
- 3 - 4 p - 1 - 1 - 3 - 3 - 1	14.6 lb.
Packaging unit	2 pc(s).
Net weight	6.4
Gross weight	6.6
PCF/VE (cradle-to-gate)	25.1 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	94039910
EAN	4028177978164

© Rittal 2025 3

Features

ETIM 9	EC000721	
ETIM 8	EC000721	
ECLASS 8.0	27182003	

Approvals

Approvals UL + C-UL - FTTA

© Rittal 2025 4