Rittal - The System.

Faster – better – everywhere.



VX 8660.060

Base/plinth corner piece with base/ plinth trim panel, front and rear for VX base/plinth system, stainless steel State: 8/6/2025 (Source: rittal.com/us-en)



2

ENCLOSURES

POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

VX 8660.060 - Base/plinth corner piece with base/plinth trim panel, front and rear for VX base/plinth system, stainless steel new version/design

Base/plinth corner pieces with front and rear panel. Large openings in the base/plinth corner piece for best access to the screw-fastening point. Seamless baying.





Features

| Model No. | VX 8660.060 |
|-----------------|--|
| Material | Base/plinth corner piece: Stainless steel 1.4301 (AISI 304) Base/plinth trim panels, front/rear: Stainless steel 1.4301 (AISI 304) Cover caps: ABS |
| Surface finish | Brushed, grain 400 |
| Supply includes | Assembly components 4 x base/plinth corner pieces 4 cover caps 1 base/plinth trim panel, front/rear, 200 mm 2 x base/plinth trim panels, front/rear, 100 mm high |
| Note | Base/plinth side trim panels are required to finish a base/plinth unit and together provide additional stabilization of the base/plinth. The cover caps included in the delivery scope can be replaced with stainless steel cover caps for the VX base/plinth system. The components of the first generation base/plinth system cannot be combined with the components of the second generation base/plinth system |
| Dimensions | Height: 200 mm Height: 7.87 ″ |
| | |

© Rittal 2025 3

Features

| Suitable for | Enclosure type: VX VX SE |
|---------------------------------|-----------------------------|
| | TS |
| | PC |
| | |
| | Width: = 600 mm |
| | Enclosure type: VX |
| | VX SE |
| | TS |
| | PC |
| | Width: = 23.6 " |
| Type rating according to UL 50E | Type 1 |
| | Type 3R |
| | Type 4 |
| | Type 4X |
| | Type 12 |
| Packaging unit | 2 pc(s). |
| Net weight | 6.6 |
| Gross weight | 6.602 |
| Customs tariff number | 94039910 |
| EAN | 4028177037915 |
| ETIM 9 | EC000721 |
| ETIM 8 | EC000721 |
| ECLASS 8.0 | 27182003 |
| | |

Approvals

Approvals UL + C-UL - FTTA

© Rittal 2025