
## Rittal – The System.

Faster – better – everywhere.





# TS 8802.100 Section for cable entry, center

State: 11/2/2025 (Source: rittal.com/us-en)



## TS 8802.100 - Section for cable entry, center for TS, TP

Inserted in base plate.



#### **Features**

Model No.	TS 8802.100
Product description	To seal the cable entry between the base plates.
Benefits	Particularly well-suited to cables with identical cross-sections
Technical specifications	Foam rubber cable clamping profile: Cross-section: 30 x 25 mm
Applications	For top-mounting on base plates
Material	Extruded aluminum section
	Foam rubber cable clamping profile: PU foam
Supply includes	Plug-in sections, incl. foam rubber clamp strip
Note	2 pc(s). are sufficient for one base opening up to an enclosure width of 800 mm
	From an enclosure width of 1,000 mm, two base openings are
	provided. 4 units per enclosure may be fitted
Suitable for	Enclosure type: TS: = 1,000 mm
	Enclosure type: TP
	Enclosure type: TS: = 39.4 "
	Enclosure type: TP
Protection category IP to IEC 60 529	IP 55 if correctly installed
Packaging unit	4 pc(s).
Net weight	0.32

© Rittal 2025

### **Features**

Gross weight	0.351
Customs tariff number	76042990
EAN	4028177382503
ETIM 9	EC000211
ECLASS 8.0	27142421

© Rittal 2025 3