

**Rittal – The System.**

Faster – better – everywhere.



**SV 9320.060**

**PLS expansion connector**

State: 7/4/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9320.060 - PLS expansion connector

For thermal and mechanical compensation during connection of PLS special busbars from enclosure to enclosure.

## Features

|                              |   |
|------------------------------|---|
| Model No.                    | SV 9320.060   |
| Product description          | For thermal and mechanical compensation when connecting special PLS busbars from enclosure to enclosure.  |
| Material                     | E-Cu  |
| Rated current (max.)         | 684 A   |
| Note                         | With a temperature increase of 30 K, the busbars will expand in length by around 0.5 mm/m. Consequently, the use of an expansion connector is recommended for busbar systems with lengths in excess of 3 m. |
| Mounting tip                 | Two busbar connectors are needed to fit one expansion connector.  |
| Suitable for busbars         | PLS 800   |
| Suitable for Model No.       | 9341.000<br>9341.050  |
| Packaging unit               | 3 pc(s).  |
| Net weight                   | 0.537 kg  |
| Gross weight                 | 0.6 kg  |
| Copper weight (kg per piece) | 0.13  |
| Customs tariff number        | 85369010  |
| ETIM 9                       | EC000713  |
| ECLASS 8.0                   | 27400606  |
| Product description          | SV Expansion connector E-Cu, PLS 800  |

# Approvals

---

Explanations

Declaration of conformity

Declaration of conformity UK