

# Rittal – The System.

Faster – better – everywhere.



## SV 9340.140

### Base tray infill

State: 2/7/2026 (Source: [ittal.com/us-en](https://www.ittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9340.140 - Base tray infill for RiLine busbar systems

Rear contact hazard protection when connecting the busbars from enclosure to enclosure.



## Features

|                            |   |
|----------------------------|---|
| Model No.                  | SV 9340.140   |
| Product description        | For rear contact hazard protection when connecting the busbars from enclosure to enclosure. |
| Material                   | Thermally modified hard PVC.<br>Fire protection corresponding to UL 94-V0                   |
| Color                      | RAL 7035  |
| Supply includes            | Assembly components   |
| Number of poles            | 3-pole  |
| Suitable for busbar system | Flat copper bars, 3-pole  |
| Suitable for Model No.     | 9340.000<br>9340.050  |
| Connection type            | Baying connection from enclosure to enclosure   |
| Dimensions                 | Length: 100 mm<br>Length: 3.94 "  |
| Packaging unit             | 2 pc(s).  |
| Net weight                 | 0.23  |
| Gross weight               | 0.241   |
| Customs tariff number      | 83024200  |
| EAN                        | 4028177502390   |

# Features

---

ETIM 9 EC002498

---

ECLASS 8.0 27379201

# Approvals

---

Approvals UL + C-UL (listed)