

Rittal – The System.

Faster – better – everywhere.



SV 9340.890 Cable set

State: 6/17/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9340.890 - Cable set for OM adapter with spring-cage terminal

Pre-assembled connection cables for the individual connection of switchgear.



Features

| | |
|------------------------------|---|
| Model No. | SV 9340.890 |
| Product description | Pre-assembled connection cables for individual connection of switchgear, top-mounted on OM adaptors with tension spring clamps. |
| Material | PVC insulation Temperature resistant to 105 °C Wire ends with ultrasonic wire-end compression at both ends |
| Note | AWG = American Wire Gage |
| AWG | AWG 6 = 13.3 mm ² ÷ 16 mm ² |
| Dimensions | Length: 140 mm Length: 5.51 " |
| Packaging unit | 6 pc(s). |
| Net weight | 0.12 kg |
| Gross weight | 0.128 kg |
| Copper weight (kg per piece) | 0.014 |
| Customs tariff number | 85444290 |
| ETIM 9 | EC000839 |
| ECLASS 8.0 | 27062302 |

Features

Product description

SV Cable set, AWG 6, L: 140 mm

Approvals

Explanations

Declaration of conformity

Declaration of conformity UK