

Rittal – The System.

Faster – better – everywhere.



RX 9360.101

RiLineX end module set

State: 2/5/2026 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



RX 9360.101 - RiLineX end module set for basic module

RiLineX end module set, 3-pole, for the modular RiLineX board. This set is used to produce the left and right board ends, including all-round contact protection. This article is required once for each modular RiLineX board system.

Features

| | |
|------------------------|---|
| Model No. | RX 9360.101 |
| Benefits | Scalable system lengths with basic modules Easy mounting Scalable rated currents due to variable busbar cross-sections Tested short circuit resistance up to max. 65 kA Suitable for applications in the alternating current range up to 1,000 V AC and direct current up to 1,500 V DC Contact hazard protection up to IP 2XB, can be upgraded to IP 3X Tested and certified according to IEC and UL Simple expansion and field alignment |
| Material | Polyamide (PA 6) Fire behavior corresponding to UL 94 |
| Color | RAL 35745 |
| Supply includes | Board end element left Board end element right Assembly components |
| Suitable for Model No. | 9360.110 9360.120 9360.150 |
| Packaging unit | 2 pc(s). |
| Net weight | 1 |
| Gross weight | 1.151 |
| Customs tariff number | 85472000 |
| EAN | 4028177997325 |
| ETIM 9 | EC002270 |

Approvals

| | |
|--------------|---------------------------|
| Approvals | UL + C-UL (listed) |
| Explanations | Declaration of conformity |
