

Rittal – The System.

Faster – better – everywhere.



SV 9661.060 E-Cu Busbars

State: 4/25/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9661.060 - E-Cu Busbars with integral holes

Suitable for direct installation in enclosures, busbar supports, PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.

Features

| | |
|------------------------------|---|
| Model No. | SV 9661.060 |
| Product description | Suitable for direct installation in enclosures, busbar supports, 9340.000/.010, 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket. |
| Material | E-Cu |
| Ø hole | 14 mm 0.55 " |
| Dimensions | Length: 592 mm Length: 23.3 " |
| Suitable for | Width: = 600 mm Width: = 23.6 " |
| Cross-section | 10 mm x 40 mm 0.39 " x 1.57 " |
| Packaging unit | 2 pc(s). |
| Net weight | 4.12 kg |
| Gross weight | 4.203 kg |
| Copper weight (kg per piece) | 2.06 |
| Customs tariff number | 74071000 |
| ETIM 9 | EC000329 |
| ECLASS 8.0 | 27400605 |
| Product description | SV Busbar E-Cu, WH: 40x10 mm, L: 592 mm, with integral holes Ø 14 mm |

Approvals

Explanations

Declaration of conformity

Declaration of conformity UK