Rittal – The System.

Faster – better – everywhere.



5 653

SV 9661.080 E-Cu Busbars

State: 8/5/2025 (Source: rittal.com/us-en)



POWER DISTRIBUTION >> CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

SV 9661.080 - E-Cu Busbars with integral holes

Suitable for direct installation in enclosures, busbar supports, PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.

Features

Model No.	SV 9661.080
Product description	Suitable for direct installation in enclosures, busbar supports, 9340.000/.010, 9340.004, 9342.014, 3052.000 and 3073.000. PE/ PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.
Material	E-Cu
Ø hole	14 mm 0.55 ″
Dimensions	Length: 792 mm Length: 31.2 ″
Suitable for	Width: = 800 mm Width: = 31.5 ″
Cross-section	10 mm x 40 mm 0.39 ″ x 1.57 ″
Packaging unit	2 pc(s).
Net weight	5.54
Gross weight	5.659
Copper weight (kg per piece)	2.77
Customs tariff number	74071000
EAN	4028177494725
ETIM 9	EC000329
ECLASS 8.0	27400605



Explanations

Declaration of conformity Declaration of conformity UK