


**Rittal – The System.**

Faster – better – everywhere.



# SV 9661.150

## Baying Bracket E-Cu

State: 4/25/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9661.150 - Baying Bracket E-Cu

The PE/PEN combination, consisting of busbars, combination angles and baying brackets, supports type-tested configurations as per IEC 61 439-1.

## Features

|                              |  |
|------------------------------|--|
| Model No.                    | SV 9661.150  |
| Product description          | To join flat busbars from enclosure to enclosure in combination with PE/PEN combination angle. |
| Material                     | E-Cu   |
| Suitable for busbars         | Busbar E-Cu with integral punchings  |
| Dimensions                   | Length: 88 mm<br>Length: 3.46 "  |
| Suitable for busbars         | Width: 80<br>Height: 10 mm<br>Width: 3.15<br>Height: 0.39 "                                    |
| Packaging unit               | 4 pc(s).   |
| Net weight                   | 2.6 kg   |
| Gross weight                 | 3.08 kg  |
| Copper weight (kg per piece) | 0.52   |
| Customs tariff number        | 74198090   |
| ETIM 9                       | EC002270   |
| ECLASS 8.0                   | 27409221   |
| Product description          | SV Baying bracket E-Cu, L: 88 mm, for E-Cu 80x10 mm  |

## Approvals

# Approvals

---

Explanations

Declaration of conformity

Declaration of conformity UK