

Rittal – The System.

Faster – better – everywhere.



SV 9661.160 E-Cu Busbars

State: 5/17/2024 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9661.160 - E-Cu Busbars with integral holes

Suitable for direct installation in enclosures, busbar supports, PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.

Features

Model No.	SV 9661.160
Product description	Suitable for direct installation in enclosures, busbar supports, 9340.000/.010, 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.
Material	E-Cu
Ø hole	14 mm 0.55 "
Dimensions	Length: 592 mm Length: 23.3 "
Suitable for	Width: = 600 mm Width: = 23.6 "
Cross-section	Flat copper bar width: 10 mm Flat copper bar thickness: 80 mm Flat copper bar width: 0.39 " Flat copper bar thickness: 3.15 "
Packaging unit	2 pc(s).
Weight/packaging unit	8.444 kg 18.6 lb.
Copper weight (kg per piece)	4.17
Customs tariff number	74071000
EAN	4028177494756
ETIM 7.0	EC000329
ECLASS 8.0	27400605

Approvals

Explanations	Declaration of conformity
	Declaration of conformity UK