
Rittal – The System.

Faster – better – everywhere.



SV 9661.300
E-Cu Busbars

State: 11/11/2026 (Source: www.rittal.com/us-en)

ENCLOSURES | POWER DISTRIBUTION | CLIMATE CONTROL | IT INFRASTRUCTURE | SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

SV 9661.300 - E-Cu Busbars with integral holes

Suitable for direct installation in enclosures, busbar supports, PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.

Features

Model No.	SV 9661.300
Product description	Suitable for direct installation in enclosures, busbar supports, 9340.000/.010, 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.
Material	E-Cu
Ø hole	11 mm 0.43 ″
Dimensions	Length: 965 mm Length: 38 ″
Suitable for	Width: = 1,000 mm Width: = 39.4 ″
Cross-section	10 mm x 30 mm 0.39 ″ x 1.18 ″
Packaging unit	2 pc(s).
Net weight	5.19 kg
Gross weight	5.235 kg
Copper weight (kg per piece)	2.595
Customs tariff number	74071000
ETIM 9	EC000329
ECLASS 8.0	27400605
Product description	SV Busbar E-Cu, WH: 30x10 mm, L: 965 mm, with integral holes Ø 11 mm

© Rittal 2026

Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity Declaration of conformity UK

© Rittal 2026