
Rittal – The System.

Faster – better – everywhere.





SV 9661.305 E-Cu Busbars

State: 8/1/2025 (Source: rittal.com/us-en)



POWER DISTRIBUTION >> CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

SV 9661.305 - E-Cu Busbars with integral holes

Suitable for direct installation in enclosures, busbar supports, PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.

Features

Model No.	SV 9661.305
Product description	Suitable for direct installation in enclosures, busbar supports, 9340.000/.010, 9340.004, 9342.014, 3052.000 and 3073.000. PE/ PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.
Material	E-Cu
Ø hole	11 mm 0.43 ″
Dimensions	Length: 965 mm Length: 38 ″
Suitable for	Width: = 1,000 mm Width: = 39.4 ″
Cross-section	5 mm x 30 mm 0.2 ″ x 1.18 ″
Packaging unit	2 pc(s).
Net weight	2.59
Gross weight	2.68
Copper weight (kg per piece)	1.295
Customs tariff number	74071000
EAN	4028177546738
ETIM 9	EC000329
ECLASS 8.0	27400605

Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity Declaration of conformity UK