

# Rittal – The System.

Faster – better – everywhere.



## SV 9661.320 E-Cu Busbars

State: 6/7/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9661.320 - E-Cu Busbars with integral holes

Suitable for direct installation in enclosures, busbar supports, PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.

## Features

Model No.	SV 9661.320
Product description	Suitable for direct installation in enclosures, busbar supports, 9340.000/.010, 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.
Material	E-Cu
Ø hole	11 mm 0.43 "
Dimensions	Length: 1,165 mm Length: 45.9 "
Suitable for	Width: = 1,200 mm Width: = 47.2 "
Cross-section	10 mm x 30 mm 0.39 " x 1.18 "
Packaging unit	2 pc(s).
Net weight	6.26 kg
Gross weight	6.327 kg
Copper weight (kg per piece)	3.13
Customs tariff number	74071000
ETIM 9	EC000329
ECLASS 8.0	27400605
Product description	SV Busbar E-Cu, WH: 30x10 mm, L: 1165 mm, with integral holes Ø 11 mm

# Approvals

---

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity Declaration of conformity UK

---