


**Rittal – The System.**

Faster – better – everywhere.



# SV 9661.345 E-Cu Busbars

State: 4/25/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9661.345 - E-Cu Busbars with integral holes

Suitable for direct installation in enclosures, busbar supports, PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.

## Features

Model No.	SV 9661.345
Product description	Suitable for direct installation in enclosures, busbar supports, 9340.000/.010, 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.
Material	E-Cu
Ø hole	11 mm 0.43 "
Dimensions	Length: 365 mm Length: 14.4 "
Suitable for	Width: = 400 mm Width: = 15.7 "
Cross-section	5 mm x 30 mm 0.2 " x 1.18 "
Packaging unit	2 pc(s).
Net weight	0.98 kg
Gross weight	0.989 kg
Copper weight (kg per piece)	0.49
Customs tariff number	74071000
ETIM 9	EC000329
ECLASS 8.0	27400605
Product description	SV Busbar E-Cu, WH: 30x5 mm, L: 365 mm, with integral holes Ø 11 mm

# Approvals

---

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity Declaration of conformity UK

---