

# Rittal – The System.

Faster – better – everywhere.



## SV 9661.355

## Baying Bracket E-Cu

State: 2/21/2026 (Source: [rittal.com/us-en](https://rittal.com/us-en))



ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

# SV 9661.355 - Baying Bracket E-Cu

The PE/PEN combination, consisting of busbars, combination angles and baying brackets, supports type-tested configurations as per IEC 61 439-1.

## Features

Model No.	SV 9661.355
Product description	To join flat busbars from enclosure to enclosure in combination with PE/PEN combination angle.
Material	E-Cu
Suitable for busbars	Busbar E-Cu with integral punchings
Dimensions	Length: 95 mm Length: 3.74 "
Suitable for busbars	Width: 30 Height: 5 mm Width: 1.18 Height: 0.2 "
Packaging unit	4 pc(s).
Net weight	0.512 kg
Gross weight	0.518 kg
Copper weight (kg per piece)	0.128
Customs tariff number	74198090
ETIM 9	EC002270
ECLASS 8.0	27409221
Product description	SV Baying bracket E-Cu, L: 95 mm, for E-Cu 30x5 mm

## Approvals

# Approvals

---

Explanations

Declaration of conformity  
Declaration of conformity UK