

Rittal – The System.

Faster – better – everywhere.



SV 9670.208

Baying systems TS 8

State: 4/6/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9670.208 - Baying systems TS 8 Busbar enclosures

TS 8 baying system as empty enclosure to accommodate vertical busbar systems.



Features

Model No.	SV 9670.208
Material	Carbon steel
Surface finish	Enclosure frame: Dipcoat-primed Roof, rear panel, front trim panel, base plate: dipcoat primed, powder-coated on the outside, textured paint
Color	RAL 7035
Supply includes	Enclosure frame Front trim panel Roof Rear panel Gland plate
Note	The busbar enclosure is on one base/plinth together with the main enclosure, i.e. please select a base/plinth for the main enclosure which is 200 mm wider.
Test specification	IEC 61 439-1/-2 IEC 61 641
Protection category IP to IEC 60529	IP 55

Features

Dimensions	Width: 200 mm Height: 2,000 mm Depth: 800 mm Width: 7.87 " Height: 78.7 " Depth: 31.5 "
Packaging unit	1 pc(s).
Net weight	40 kg
Gross weight	45 kg
Customs tariff number	94032080
ETIM 9	EC002525
ECLASS 8.0	27180101
Product description	SV Busbar enclosure, WHD: 200x2000x800 mm, sheet steel

Approvals

Certificates	Surface finish
Explanations	Manufacturer's declaration Declaration of conformity Declaration of conformity UK
