Rittal – The System.

Faster – better – everywhere.





SV 9676.710 **Connection Plate**

State: 11/6/2025 (Source: rittal.com/us-en)



SV 9676.710 - Connection Plate For cable lugs

For connection of ring terminals/lugs to a Flat-PLS busbar system with 2 – 4 bars per conductor.



Features

Model No.	SV 9676.710
Product description	For connecting cable lugs to a distribution busbar system made of flat copper. Suitable for 10 mm rail thickness.
Material	Connection plate: E-Cu, nickel-plated Busbar claw: Stainless steel
Supply includes	Assembly parts (excluding screws)
Mounting tip	The required screw length must be selected according to the busbar width W, i.e., Length = W + fastening measurement. Screws are not included with the supply Busbar claw with threaded insert M10
Number of bars per conductor	2
Dimensions	Thread: M10
Mounting dimensions	40 mm 1.57 ″
Packaging unit	1 pc(s).
Net weight	0.1
Gross weight	0.12
Copper weight (kg per piece)	0.08
Customs tariff number	73269098

© Rittal 2025

Features

EAN	4028177625778
ETIM 9	EC002270
ECLASS 8.0	27400613

Approvals

Approvals	ABS DNV-GL Lloyds Register of Shipping
Explanations	Declaration of conformity Declaration of conformity UK

© Rittal 2025 3