

# Rittal – The System.

Faster – better – everywhere.



## VX 9680.005

## Baying-enclosure system VX25

State: 4/30/2026 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# VX 9680.005 - Baying-enclosure system VX25 Isolator enclosure

Baying system for the distribution of electrical power with slimline fuse-switch disconnectors (from ABB or Jean Müller).



## Features

|                 |  |
|-----------------|--|
| Model No.       | VX 9680.005  |
| Material        | Carbon steel, 1.5 mm   |
| Surface finish  | Enclosure frame: Dipcoat-primed<br>Door, roof and rear panel: Dipcoat-primed, powder-coated on the outside, textured paint<br>Base plates: Zinc-plated   |
| Color           | RAL 7035   |
| Supply includes | Enclosure frame<br>Door<br>Roof plate<br>Rear panel<br>Base Plates<br>Front Trim Panels<br>Lock: 3 mm double-bit<br>Compartment side panels<br>Locating frame for isolators with fuses (brands ABB SlimLine/Jean Müller SASIL) |

# Features

|                                     |  |
|-------------------------------------|--|
| Protection category IP to EN 60529  | Up to IP 2X (depending on the panels)  |
| Test specification                  | IEC 61 439-1/-2<br>IEC 61 641  |
| Dimensions                          | Width: 1,000 mm<br>Height: 2,000 mm<br>Depth: 600 mm<br>Width: 39.4 "<br>Height: 78.7 "<br>Depth: 23.6 "             |
| Packaging unit                      | 1 pc(s).   |
| Net weight                          | 125.3 kg   |
| Gross weight                        | 136.2 kg   |
| PCF/VE (cradle-to-gate)             | 308.7 kg CO2 eq (Cat B)  |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number               | 94032080   |
| ETIM 9                              | EC000261   |
| ECLASS 8.0                          | 27180101   |
| Product description                 | VX Fuse-switch disconnecter enclosure, WHD: 1000x2000x600 mm, sheet steel  |

# Approvals

|              |   |
|--------------|---|
| Certificates | Surface finish  |
| Explanations | Declaration of conformity<br>Declaration of conformity UK |