Rittal – The System.

Faster – better – everywhere.



# CS 9828.500

# CS Toptec

State: 11/1/2026 (Source: www.rittal.com/us-en)

# CS 9828.500 - CS Toptec

Outdoor enclosure with 100 mm transport base/plinth and rain canopy with projections on all sides. Side panels, rear panel and door fully double-walled on the outside, the entire TS8 frame is available for interior installation.





## Features

| | |
|---|---|
| Model No. | CS 9828.500 |
| Version | Without cut-out |
| Product description | Outdoor enclosure with 100 mm transport base/plinth and rain canopy with projections on all sides. Side panels, rear panel and door fully double-walled on the outside, the entire TS8 frame is available for interior installation. |
| Material | Housing frame: Stainless steel 1.4301 (AISI 304)<br>Enclosure panels and base/plinth panels: Aluminum, AlMg3<br>Rain canopy: Aluminum |
| Surface finish | Powder-coated<br>UV-resistant pure polyester |
| Color | RAL 7035 |

© Rittal 2026

# Features

| | |
|---|---|
| Supply includes | Double-walled outdoor housing, fully preconfigured<br>Enclosure frame with 25 mm system perforation in roof and base frames as well as vertical profiles with 2 mounting levels<br>Front door with door stay, swing lever handle and semi-cylinder, lock BJ20027<br>Side panels left and right<br>Rear panel<br>Rain canopy<br>Base/plinth with screw-fastened flange plates and screw-fastened trim panels front and rear |
| Dimensions | Width: 800 mm<br>Height: 1,200 mm<br>Depth: 800 mm<br>Width: 31.5 ″<br>Height: 47.2 ″<br>Depth: 31.5 ″ |
| Protection category IP to IEC 60 529 | IP 55 |
| Protection category NEMA | NEMA 3R<br>NEMA 12 |
| IK code | IK10 |
| Note | All enclosure panels are double wall and grounded (external wall to internal wall)<br>CS Toptec is the foundation for project solutions in the outdoor sector. It can be requested under these order numbers: For individual installations: 9774.099, for baying: 9774.005 |
| Base material | Aluminum |
| Packaging unit | 1 pc(s). |
| Net weight | 96 kg |
| Gross weight | 98 kg |
| Customs tariff number | 94032080 |
| ETIM 9 | EC000261 |
| ECLASS 8.0 | 27180101 |
| Product description | CS TopTec Enclosure WHD: 800x1200x800 mm closed |

# Approvals

| | |
|---|---|
| Approvals | UL + C-UL (listed) |
| Explanations | Declaration of conformity |

© Rittal 2026