

Rittal – The System.

Faster – better – everywhere.

Flow regulator valve – SK 3301.940

Date : 3.8.2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Flow regulator valve – SK 3301.940

created: 03.08.2020 build on www.rittal.com/si-sl



Product description

Description: For use with air/water heat exchangers, especially if more than one heat exchanger ($n > 1$) is used in the water cooling circuit. The correctly set valve then ensures the same quantity of cooling medium for all equipment.

Applications: The valve is used for hydraulic balancing.

Setting range: 3 l/min - 12 l/min

Material: Brass

Product features

Valve design: $\frac{3}{4}$ " x $\frac{3}{4}$ " for volumetric flow control

eCl@ss 8.0/8.1: 27189261

Packs of: 1 pc(s).

Weight/pack: 0,18 kg

EAN: 4028177448667

Customs tariff number: 84818073

ETIM 7.0: EC002620

ETIM 6.0: EC002620

eCl@ss 8.0/8.1: 27189261

eCl@ss 6.0/6.1: 27189269

Product description: SK Flow regulator valve, 3/4x3/4" volumetric flow control, for Air/water heat exchanger

Approvals

Certificates: EAC
