
## Rittal - The System.

Faster – better – everywhere.





# VX 8660.027

Base/plinth corner pieces with base/plinth trim panels, front and rear

State: 06.09.2025 (Source: rittal.com/bg-bg)

CLOSURES >>> POWER DISTRII

CLIMATE CONTROL

NFRASTRUCTURE

**SOFTWARE & SERVICES** 

# VX 8660.027 - Base/plinth corner pieces with base/plinth trim panels, front and rear for base/plinth system VX, sheet steel

Base/plinth corner pieces with trim panels for flexible cable entry.





#### **Features**

VX 8660.027	
Reliable – Excellent stability of the base/plinth	
Flexible – Countless interior installation options with VX	
accessories	
Simple – Flush termination between the baying points	
Base/plinth corner piece: Sheet steel	
Base/plinth trim panel front/rear: Sheet steel	
Corner and baying cover: Plastic	
RAL 9005	
4 corner covers	
Assembly parts	
4 base/plinth corner pieces, 200 mm high	
1 base/plinth trim panel, front/rear, 200 mm high	
2 base/plinth trim panels, front/rear, 100 mm high	
Side base/plinth trim panels finish off a base/plinth unit or provide	
additional stabilisation between base/plinths or enable interior	
additional oldomodilon both con baco, piniting of chabic interior	

© Rittal 2025

### **Features**

Dimensions	Height: 200 mm	
To fit	Enclosure type: VX	
	VX IT	
	VX SE	
	TX CableNet	
	TS	
	TS IT	
	TP	
	PC	
	IW	
	CX	
	Width: = 1,800 mm	
Type rating to UL 50E	Type 1	
	Type 12	
Weight/pack	16,2 kg	
Packs of	2 pc(s).	
Net weight	16.02	
Gross weight	16.1	
PCF per pack (cradle-to-gate)	61.7 kg CO2 eq (Cat B)	
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight approximately calculated and self-declared	
Customs tariff number	94039910	
EAN	4028177978195	
ETIM 9	EC000721	
ETIM 8	EC000721	
ECLASS 8.0	27182003	

## Approvals

Approvals	UL + C-UL - FTTA	

© Rittal 2025 3