Rittal - The System.

Faster – better – everywhere.





VX 8620.025

Base/plinth corner pieces with base/plinth trim panels, front and rear, 200 mm

State: 2025-08-29 (Source: rittal.com/ca-en)

ICLOSURES >>> POWER

CLIMATE CONTROL

T INFRASTRUCTURE

SOFTWARE & SERVICES

VX 8620.025 - Base/plinth corner pieces with base/plinth trim panels, front and rear, 200 mm for VX, VX IT, VX SE, TE, TS, TS IT, TP, PC, IW

Base/plinth corner pieces with molded self-positioning to the bayed enclosure system, for use with or without trim panels depending on the application. Large openings in the base/plinth corner piece for best access to the screw-fastening point can be covered using bay and corner covers.

Features

| Model No. | VX 8620.025 |
|-----------------------|---|
| Product description | Base/plinth corner pieces with molded self-positioning to the bayed enclosure system, for use with or without trim panels depending on the application. Large openings in the base/plinth corner piece for best access to the screw-fastening point can be covered using bay and corner covers. |
| Material | Base/plinth corner piece: Carbon steel Base/plinth trim panels, front/rear: Carbon steel Corner and baying covers: Plastic |
| Color | RAL 9005 |
| Supply includes | 4 x base/plinth corner pieces, 200 mm high 4 x corner covers 1 x baying cover 1 base/plinth trim panel, front/rear, 200 mm 2 x base/plinth trim panels, front/rear, 100 mm high Assembly components |
| Note | Base/plinth trim panels, on the side for closing off a base/plinth unit, for additional stabilization of the bases/plinths to one another, or for interior installation of the bases/plinths |
| Dimensions | Height: 200 mm |
| Suitable for | Enclosure type: VX Width: = 1,200 mm |
| Weight/packaging unit | 11 kg |

© Rittal 2025

2

Features

| Packaging unit | 2 pc(s). |
|-----------------------|---------------|
| Net weight | 10.8 |
| Gross weight | 10.97 |
| Customs tariff number | 94039910 |
| EAN | 4028177922143 |
| E-Number Sweden | E3465058 |
| ECLASS 8.0 | 27182003 |

Approvals

Approvals UL + C-UL - FTTA