Rittal – The System.

Faster – better – everywhere.





IT INFRASTRUCTURE SOFTWARE & SERVICES

VX 8617.550 Partial mounting plates

POWER DISTRIBUTION >> CLIMATE CONTROL

State: 10.07.2025. (Source: rittal.com/hr-hr)



FRIEDHELM LOH GROUP

ENCLOSURES

VX 8617.550 - Partial mounting plates for VX, VX SE, PC, IW

To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.

Features

Model No.	VX 8617.550
Product description	To accommodate additional components inside the enclosure. Partial mounting plates can be used extremely flexibly, providing a platform for a diverse range of applications.
Material	Sheet steel, 2.5 mm
Surface finish	Zinc-plated
Supply includes	Assembly parts
To fit door width	600 mm
Installation options	For optional installation either upright as a vertical mounting surface, or flat as a horizontal base. Attach directly onto the enclosure section With a set forward configuration, attachment is via punched sections with mounting flanges at any mounting level in the enclosure For multi-level installation one behind the other, partial mounting plates may be vertically hinged, via hinge attachment, to allow rapid access to the levels behind. In VX SE, on the enclosure section in conjunction with VX adaptor rail
Note	Adaptor rail VX is required for installing in VX SE, PC, IW
Dimensions	Width: 500 mm Depth: 775 mm

Features

Enclosure type: VX VX SE PC
Width: = 600 mm
Depth: = 600 mm
1 pc(s).
9.54
9.84
37.5 kg CO2 eq (Cat B)
Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
94032080
4028177919402
EC000213
27409216