


# Rittal – The System.

Faster – better – everywhere.



## TS 8609.120 Divider panel for module plates

State: 27/7/2023 (Source: [rittal.com/in-en](https://www.rittal.com/in-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# TS 8609.120 - Divider panel for module plates for TS

With cut-outs for the installation of module plates for connectors or for cable entry, and also for the entry of busbar systems and other installed equipment.



## Features

Model No.	TS 8609.120
Product description	With cut-outs for the installation of module plates for connectors or for cable entry, and also for the entry of busbar systems and other installed equipment. All-round, double fold for stability and to hold the seal. Thanks to the symmetry of the enclosure frame, divider panels may also be fitted at the rear, dimensions permitting.
Benefits	<p>More options: The cut-outs of a divider panel are individually equipped with module plates for 16-pole or 24-pole connectors, with module plates for cable entry and with solid module plates.</p> <p>Faster assembly: Usually only some of the total number of connector cut-outs are used. Due to the new divider panel technique, the cut-outs do not need to be covered individually. The solid module plate is used instead. The benefit: Less plates, less screws, less assembly work.</p>
Applications	Notches in the corners and half-way up the sides permit the use of angular baying brackets and baying brackets, even with a divider panel fitted.

# Features

Material	Sheet steel, 2.0 mm
Surface finish	Zinc-plated
Supply includes	Assembly parts and multi-tooth screws M5 x 12 mm for mounting the module plates.
To fit	Enclosure type: TS Height: = 2,000 mm Depth: = 500 mm
Installation options	For mounting on the outer mounting level This leaves the inner level free for further population
Packs of	1 pc(s).
Net weight	7.224
Gross weight	7.604
Customs tariff number	94039910
EAN	4028177211742
ETIM 9	EC002525
ECLASS 8.0	27182102