Rittal – The System.

Faster – better – everywhere.





SV 9661.300 Busbars E-Cu

State: 10/5/2025 (Source: rittal.com/in-en)



SV 9661.300 - Busbars E-Cu with integral holes

Suitable for direct installation in enclosures, busbar support, PE/PEN combination in conjunction with PE/PEN combination angle and baying bracket E-Cu.

Features

| NA - J. INI - | 01/0661 000 |
|------------------------------|--|
| Model No. | SV 9661.300 |
| Product description | Suitable for direct installation in enclosures, busbar supports |
| | 9340.000/.010. 9340.004, 9342.014, 3052.000 and 3073.000. PE/ |
| | PEN combinations in conjunction with PE/PEN combination angle and baying bracket E-Cu. |
| | and baying bracket E-Cu. |
| Material | E-Cu |
| Ø hole | 11 mm |
| Dimensions | Length: 965 mm |
| To fit | Width: = 1,000 mm |
| Cross-section | 10 mm x 30 mm |
| Packs of | 2 pc(s). |
| Net weight | 5.19 |
| Gross weight | 5.235 |
| Copper weight (kg per piece) | 2.595 |
| Customs tariff number | 74071000 |
| EAN | 4028177546721 |
| ETIM 9 | EC002525 |
| ECLASS 8.0 | 27400605 |

Approvals

| Approvals | UL + C-UL (listed) |
|-----------|--------------------|
|-----------|--------------------|

© Rittal 2025 2

Approvals

Explanations

Declaration of conformity

Declaration of conformity UK

© Rittal 2025 3