Rittal – The System.

Faster – better – everywhere.





CP 6206.460 Tilting adaptor +100°/-60°

State: 2025.11.4 (Source: rittal.com/lt-en)



CP 6206.460 - Tilting adaptor +100°/-60° for support arm connection 120 x 65 mm

For mounting on IW worktop, prepared for attachment \emptyset 130 mm, surfaces or attachments/couplings with support arm connection 120 x 65 mm. To fit enclosures up to 20 kg with support arm connection. With cable tube for protected cable entry.

Features

Model No.	CP 6206.460
Design	For mounting on
	IW worktop, prepared for attachment of 130 mm diameter
	Surfaces
	Attachment/coupling with support arm connection 120 x 65 mm
	To fit enclosures up to 20 kg with support arm connection
	90 x 71 mm
	Ø 130 mm
	120 x 65 mm
	VESA Standard 75
	With cable tube for protected cable entry
Product description	Tilting angle adjustable in 7.2° increments via clamping lever and
	may be limited to $+100^{\circ}/-15^{\circ}$ using the stop screw supplied loose.
Material	Tilting adaptor: Sheet steel, spray-finished
	Concertina section: Plastic
Colour	Tilting adaptor: RAL 7035
	Concertina section: RAL 7024
Supply includes	Assembly parts
	Concertina section
Rotating/tilting	Yes
Tilt angle note	Adjustable in 7.2° increments via clamping lever and may be limited
	to +100°/-15° using the stop screw supplied loose
Packs of	1 pc(s).
Net weight	0.86
Gross weight	0.871

© Rittal 2025

Features

PCF per pack (cradle-to-gate)	3 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
Customs tariff number	73269098
EAN	4028177684454
ETIM 9	EC000882
ECLASS 8.0	27400556

Approvals

Explanations Manufacturer's declaration

© Rittal 2025 3