## Rittal – The System.

Faster - better - everywhere.





# SK 3213.360 Air diverter

State: 12/11/2025 (Source: rittal.com/sg-en)



#### SK 3213.360 - Air diverter

Targeted routing of the cold air flow to avoid hot spots in the enclosure. Particularly well-suited for densely-packed electrical components in the enclosure.





#### **Features**

Model No.	SK 3213.360
Product description	For use with wall-mounted cooling units, for targeted routing of cold air in a downward direction. Particularly well-suited for densely-packed electrical components in the lower section of the enclosure.
Benefits	Individual modification of air outlet direction
	Simple, tool-free assembly
	Quickly retrofitted (no drilling required)
	Minimum installation depth
Material	ABS
	Fire protection corresponding to UL 94-V0
Colour	RAL 7035
To fit	Wall-mounted cooling unit Blue e+
Note on Model No.	Not suitable for wall-mounted cooling unit Blue e+ Outdoor
To fit Model No.	3184.xx0
	3186.93x
	3186.630
	3187.93x
	3187.630
Dimensions	Width: 330 mm
	Height: 330 mm
	Depth: 30 mm
Packs of	1 pc(s).

© Rittal 2025

### **Features**

Net weight	0.6
Gross weight	0.64
Customs tariff number	39269097
EAN	4028177976276
ETIM 9	EC011604
ETIM 8	EC011604
ECLASS 8.0	22410601

© Rittal 2025 3