
## Rittal – The System.

Faster – better – everywhere.





# VX 8618.801 Section for cable entry, centre

State: 01.09.2025 (Source: rittal.com/ua-en)



### VX 8618.801 - Section for cable entry, centre

The section is fitted directly onto the gland plates. In this way, when installing the mounting plate in the forward mounting position, the cables may be routed directly onto a cable clamp rail without large bending radii. In conjunction with the cable clamp rail, this enables optimum adjustment between the cable entry and mounting plate.

#### **Features**

VX 8618.801
Simple assembly Full-surface support High level of sealing of cables inserted into the enclosure
For top-mounting on gland plates.
Hard PVC Flame-resistant, self-extinguishing Temperature resistant to +60 °C Seal: PU foam Cross-section: 30 x 25 mm
Plug-in sections, incl. foam rubber clamp strip
You will need two pieces per cable entry point.  From an enclosure width of 1000 mm, the base assembly is divided into two sections in the width. Two cable entry points (left/right) may be used.
Enclosure type: VX: = 800 mm  Enclosure type: VX SE  Enclosure type: CX pedestal  Enclosure type: CX one-piece console
2 pc(s).
0.22
0.24
39269097
4028177922754

© Rittal 2025 2

#### **Features**

ETIM 9	EC000211	
ECLASS 8.0	27142421	

© Rittal 2025 3