


**Rittal – The System.**

Faster – better – everywhere.



# SV 9676.710 Connection plate

State: 3/07/2026 (Source: [rittal.com/uk-en](http://rittal.com/uk-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9676.710 - Connection plate for ring terminals

For connecting ring terminals to a Flat-PLS busbar system with 2 – 4 bars per conductor.

## Features

|                              |   |
|------------------------------|---|
| Model No.                    | SV 9676.710   |
| Product description          | For connecting ring terminals to a busbar distributor system made from flat copper. Suitable for 10 mm bar thickness.   |
| Material                     | Connection plate: E-Cu, nickel-plated<br>Busbar claw: Stainless steel   |
| Supply includes              | Assembly parts (excluding screws)   |
| Assembly instruction         | The required screw length must be selected in line with the busbar width W, i.e. length = W + fastening measurement. Screws are not included with the supply.<br>Busbar claw with threaded insert M10 |
| Bars per conductor           | 2   |
| Dimensions                   | Thread: M10   |
| Mounting dimensions          | 40 mm   |
| Packs of                     | 1 pc(s).  |
| Net weight                   | 0.1 kg  |
| Gross weight                 | 0.12 kg   |
| Copper weight (kg per piece) | 0.07  |
| Customs tariff number        | 73269098  |
| ETIM 9                       | EC002270  |
| ECLASS 8.0                   | 27400613  |
| Product description          | SV Connection plate, with bolts M10, (Flat-PLS)   |

## Approvals

# Approvals

---

Approvals

ABS  
DNV  
Lloyds Register

---

Explanations

Declaration of conformity  
Declaration of conformity UK