



# SK 3235.600 - Pre-fuse for Blue e+ cooling units/chillers

Miniature circuit breaker and power switch for protection of the equipment connection line for Blue e+ series cooling units and chillers. The Blue e+ cooling units/chillers are intrinsically safe and do not require additional external safety devices for safe operation.

## Features

|                                    |   |
|------------------------------------|---|
| Model No.                          | SK 3235.600   |
| Note                               | For detailed technical product information, please refer to the data sheet under the Downloads tab. |
| Dimensions                         | Width: 90 mm<br>Height: 18 mm<br>Depth: 76 mm<br>Width: 3.54 "<br>Height: 0.71 "<br>Depth: 2.99 "   |
| Protection category IP to EN 60529 | IP 20   |
| Operating temperature range        | -40 °C...70 °C<br>-40 °F...158 °F   |
| Storage temperature range          | -40 °C...75 °C<br>-40 °F...167 °F   |
| Suitable for Model No.             | 3178.80x<br>3179.80x<br>3184.8xx<br>3185.xxx<br>3186.xxx<br>3187.xxx                                |
| Customs tariff number              | 85362010  |
| ETIM 9                             | EC000074  |
| ETIM 8                             | EC000074  |
| ECLASS 8.0                         | 27370401  |

# Features

---

|                     |  |
|---------------------|--|
| Product description | Miniature circuit breaker for 1-phase Blue e+ cooling units, 90 x 18 x 76 mm |
|---------------------|--|

# Approvals

---

|           |                        |
|-----------|------------------------|
| Approvals | UR + C-UR (recognized) |
|-----------|------------------------|

---

|              |     |
|--------------|-----|
| Certificates | EAC |
|--------------|-----|

---

|              |                           |
|--------------|---------------------------|
| Explanations | Declaration of conformity |
|--------------|---------------------------|