Rittal – The System.

Faster - better - everywhere.





SK 3286.800 Quick-change frame

State: 11/17/2025 (Source: rittal.com/us-en)



SK 3286.800 - Quick-change frame for roof-mounted cooling units

Together with the seal, the lower part of the alternate frame is screw-fastened to the enclosure. In this way, it is possible to install and remove the connector-ready cooling unit with quick-release fasteners with the upper part of the alternate frame pre-fitted on the cooling unit.

Features

Model No.	SK 3286.800		
Product description	The quick-change frame is more than just an alternate frame. Together with the seal, the lower part of the frame is screw-fastened to the enclosure. In this way, it is possible to install and remove the plug-in cooling unit with the upper part of the alternate frame previously mounted on the cooling unit with quick-release fasteners. During servicing work, this means shorter assembly times and so minimized downtime. What is more, the quick-change frame offers effective protection from the ingress of oil into the enclosure in oily atmospheres, thanks to its integral drainage trough.		
Material	Carbon steel		
Color	RAL 7035		
Supply includes	Quick-change frame Seal Quick-release fasteners		
Suitable for Model No.	3209 3210 3383 3384 3385		
Packaging unit	1 pc(s).		
Net weight	7.073		
Gross weight	7.4		
PCF/VE (cradle-to-gate)	28.6 kg CO2 eq (Cat B)		

© Rittal 2025 2

Features

Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared	
Customs tariff number	73269098	
EAN	4028177325418	
ETIM 9	EC000331	
ETIM 8	EC000331	
ECLASS 8.0	27189272	

Approvals

Certificates	EAC	

© Rittal 2025 3