

Rittal – The System.

Faster – better – everywhere.



DK 7320.570 CMC III Sensors

State: 5/14/2026 (Source: rittal.com/us-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



DK 7320.570 - CMC III Sensors

CMC-TC motion sensor

Features

| | |
|---|--|
| Model No. | DK 7320.570 |
| Version | Motion sensor |
| Product description | CMC III sensors are used to monitor the physical environment and can be directly connected to the PU by an RJ45 CAN bus connection cable. The sensors can also be interconnected as a bus. |
| Benefits | Fast connection and automatic detection via plug & play Power is supplied via the CAN bus interface. |
| Applications | Enclosure monitoring in IT, industry and facility management Monitoring enclosures, rooms and containers in the field of IT. |
| Function principle | Settings can be made via the CMC III Processing Unit or the IoT interface. The sensor monitors an area for motion. |
| Material | Plastic Front: Smooth Housing: Textured |
| Color | Housing: White |
| Supply includes | Sensor Mounting panel Assembly components Connection cable with connector Mounting clips for support rails Assembly components |
| Connection to the CAN bus | Indirectly via CMC III Can-Bus Interfaces |
| Interfaces | RJ12 |
| Quantity of participants per IoT interface (max.) | 32 |
| Quantity of participants PU compact (max.) | 4 |

Features

| | |
|-------------------------------------|--|
| Quantity of participants PU (max.) | 32 |
| Note | Delivery times on request. |
| Measuring technique | Infrared (IR) Detector |
| Dimensions | Width: 59 mm Height: 102 mm Depth: 32 mm Width: 2.32 " Height: 4.02 " Depth: 1.26 " |
| Operating temperature range | 5 °C...45 °C 41 °F...113 °F |
| Ambient humidity (non-condensing) | 5...95 % |
| Packaging unit | 1 pc(s). |
| Net weight | 0.25 kg |
| Gross weight | 0.267 kg |
| PCF/VE (cradle-to-gate) | 1 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 85311095 |
| ETIM 9 | EC002627 |
| ECLASS 8.0 | 27189253 |
| Product description | DK CMC-TC Motion sensor |

Approvals

| | |
|--------------|---|
| Explanations | Manufacturer's declaration Declaration of conformity |
|--------------|---|