


# Rittal – The System.

Faster – better – everywhere.



## DK 7445.000 Data Rack

State: 12/9/2025 (Source: [rittal.com/us-en](https://www.rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# DK 7445.000 - Data Rack

Data Rack for optimum accessibility from all sides during assembly and installation, and a high degree of mobility when twin castors are used.



## Features

|                 |   |
|-----------------|---|
| Model No.       | DK 7445.000   |
| Material        | Profile frame, base/plinth: Carbon steel<br>Feet: Die-cast zinc   |
| General color   | RAL 7035  |
| Color           | Profile frame, base/plinth: RAL 7035<br>Panel, feet: RAL 5018   |
| Supply includes | Torsionally rigid profile frame with 482.6 mm (19") holes<br>Stable base/plinth with integral feet, with the option of floor anchoring without base trim panels<br>Mounting Accessories |
| Dimensions      | Width: 550 mm<br>Height: 2,122 mm<br>Depth: 750 mm<br>Width: 21.7 "<br>Height: 83.5 "<br>Depth: 29.5 "  |
| Height units    | 45 U  |
| Height units    | 45 U  |

# Features

|   |  |
|---|--|
| Distance from the second mounting level, 50 mm hole pattern | 150 - 350 mm<br>5.91 - 13.8 "  |
| Hole pattern between the mounting levels                    | 50 mm<br>1.97 "  |
| Load capacity of the 19" levels                             | 1,500 N  |
| Note  | Order second mounting level separately   |
| Base material   | Carbon steel   |
| Packaging unit  | 1 pc(s).   |
| Net weight  | 19.733   |
| Gross weight  | 20.772   |
| PCF/VE (cradle-to-gate)                                     | 79.1 kg CO2 eq (Cat B)   |
| Information regarding the PCF class                         | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number                                       | 94032080   |
| EAN   | 4028177130524  |
| E-Number Sweden   | E7239649   |
| ETIM 9  | EC002507   |
| ECLASS 8.0  | 27180602   |