
# Rittal – The System.

Faster – better – everywhere.





# SV 9661.340 E-Cu Busbars

State: 12/22/2025 (Source: rittal.com/us-en)



### SV 9661.340 - E-Cu Busbars with integral holes

Suitable for direct installation in enclosures, busbar supports, PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.

#### **Features**

Model No.	SV 9661.340
Product description	Suitable for direct installation in enclosures, busbar supports, 9340.000/.010, 9340.004, 9342.014, 3052.000 and 3073.000. PE/PEN combinations in conjunction with PE/PEN combination angles and E-Cu baying bracket.
Material	E-Cu
Ø hole	11 mm 0.43 ″
Dimensions	Length: 365 mm Length: 14.4 ″
Suitable for	Width: = 400 mm Width: = 15.7 "
Cross-section	10 mm x 30 mm 0.39 ″ x 1.18 ″
Packaging unit	2 pc(s).
Net weight	1.88
Gross weight	1.92
Copper weight (kg per piece)	0.98
Customs tariff number	74071000
EAN	4028177546912
ETIM 9	EC000329
ECLASS 8.0	27400605

© Rittal 2025 2

## Approvals

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity
	Declaration of conformity UK

© Rittal 2025 3